

nab-PTX(q4w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28
nab-PTX	100mg/m ²	↑ ↑ ↑

RAM(q2w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14
RAM	8mg/kg	↑

DTX(q3w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
DTX	60mg/m ²	↑

ニホ[®]ルマフ[®](q2w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14
ニホ [®] ルマフ [®]	240mg/body	↑

CDDP+CPT-11(q4w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28
CDDP	30mg/m ²	↑ ↑
CPT-11	60mg/m ²	↑ ↑

CPT-11		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 ...
CPT-11	B法: 150mg/m ²	2週間ごとに2~3回繰り返し、少なくとも3週間休薬する。

Capox(q3w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
L-OHP	130mg/m ²	↑
capecitabine	2000mg/m ²	↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑

Tmab+Capox(q3w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
Tmab	初回8mg/kg	↑
	2回目以降6mg/kg	
L-OHP	130mg/m ²	↑
capecitabine	2000mg/m ²	↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑

SOX(q3w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
L-OHP	100mg/m ²	↑
S-1	80mg/m ²	↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑

Tmab+SOX(q3w)		day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
Tmab	初回8mg/kg	↑
	2回目以降6mg/kg	
L-OHP	130mg/m ²	↑
S-1	80mg/m ²	↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑

○胃小細胞がん(1レジメン)

AMR(q3w or q4w)	day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
AMR																							35-45mg/m ²	↑	↑	↑			

○食道がん(4レジメン)

FP(q4w)	day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
5-FU																							800mg/m ²	↑	↑	↑	↑	↑	
CDDP																							80mg/m ²	↑					

FP+RT(q4w)	day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
5-FU																							700mg/m ²	↑	↑	↑	↑		
CDDP																							70mg/m ²	↑					
radiation																							2Gr/Fr/day(計60Gy)						

DTX(q3w)	day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
DTX																						70mg/m ²	↑

wPTX(q7w)	day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49																	
PTX																						100mg/m ²	↑											↑											↑											↑											↑

○食道小細胞がん(1レジメン)

GDDP+CPT-11(q4w)	day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28																	
CDDP																							60mg/m ²	↑																						
CPT-11																							60mg/m ²	↑											↑											↑

○肝臓がん(4レジメン)

EPI肝動注(q4w)	day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
EPI																							60mg/m ²	↑					

low-doseFP肝動注(q4w)	day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28														
CDDP																							10mg/body	↑	↑	↑	↑	↑											↑	↑	↑	↑	↑
5-FU																							250mg/body	↑	↑	↑	↑	↑											↑	↑	↑	↑	↑

5-FU	400mg/m ²	↑
5-FU	2400mg/m ²	↑

nabPTX+GEM(q4w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
nab-PTX	125mg/m ²	↑								↑							↑														
GEM	1000mg/m ²	↑								↑							↑														

GEM+CDDP(q4w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
GEM	1000mg/m ²	↑								↑																					
CDDP	25mg/m ²	↑								↑																					

GEM radiation		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42				
GEM	250mg/m ²	↑								↑																																						
radiation	1.8Gr/Fr/day(計50.4Gy)																																															

○膵・消化管神経内分泌腫瘍(1レジメン)

STZ(q1w)		day	1	2	3	4	5	6	7
STZ	1000mg/m ²	↑							

○大腸がん(37レジメン)

mFOLFOX8(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
I-LV	200mg/m ²	↑														
L-OHP	85mg/m ²	↑														
5-FU	400mg/m ²	↑														
5-FU	2400mg/m ²	↑														

BV+mFOLFOX8(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BV	5mg/kg	↑														
I-LV	200mg/m ²	↑														
L-OHP	85mg/m ²	↑														
5-FU	400mg/m ²	↑														
5-FU	2400mg/m ²	↑														

Cmab+mFOLFOX8(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Cmab	初回400 mg/m ² 2回目以降250mg/m ²	↑								↑						
I-LV	200mg/m ²	↑														
L-OHP	85mg/m ²	↑														
5-FU	400mg/m ²	↑														
5-FU	2400mg/m ²	↑														

Pmab+mFOLFOX8(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
--------------------	--	-----	---	---	---	---	---	---	---	---	---	----	----	----	----	----

I-LV	200mg/m ² †
CPT-11	150(-180)mg/m ² †
5-FU	400mg/m ² †
5-FU	2400mg/m ² †

FOLFOX4(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	I-LV	100mg/m ²	↑	↑												
	L-OHP	85mg/m ²	↑													
	5-FU	400mg/m ²	↑	↑												
	5-FU	600mg/m ²	↑	↑												

BV+FOLFOX4(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BV	5mg/kg	↑													
	I-LV	100mg/m ²	↑	↑												
	L-OHP	85mg/m ²	↑													
	5-FU	400mg/m ²	↑	↑												
	5-FU	600mg/m ²	↑	↑												

CPT11+5FU/LV(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	I-LV	100mg/m ²	↑	↑												
	CPT-11	150mg/m ²	↑													
	5-FU	400mg/m ²	↑	↑												
	5-FU	600mg/m ²	↑	↑												

BV+CPT11+5FU/LV(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BV	5mg/kg	↑													
	I-LV	100mg/m ²	↑	↑												
	CPT-11	150mg/m ²	↑													
	5-FU	400mg/m ²	↑	↑												
	5-FU	600mg/m ²	↑	↑												

5FU/LV(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	I-LV	100mg/m ²	↑	↑												
	5-FU	400mg/m ²	↑	↑												
	5-FU	600mg/m ²	↑	↑												

BV+5FU/LV(q2w)		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BV	5mg/kg	↑													
	I-LV	100mg/m ²	↑	↑												
	5-FU	400mg/m ²	↑	↑												
	5-FU	600mg/m ²	↑	↑												

CPT-11		day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	...		
	CPT-11	B法: 150mg/m ²	↑	↑	↑																																			

B法: 150mg/m² 2週間ごとに2~3回繰り返し返した後、少なくとも3週間休薬する。