

| | | | |
|-------------------|-------|------------|--|
| オブジーボ(q4w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 |
| | ニボルマブ | 480mg/body | ↑ |

| | | | |
|-------------------|---------------|----------|---|
| エンハーツ(q3w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 |
| | トラスチマブ テルチキサン | 6.4mg/kg | ↑ |

| | | | |
|--------------------------|--------|---------------------|--|
| CDDP+CPT-11 (q4w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 |
| | CDDP | 30mg/m ² | ↑ |
| | CPT-11 | 60mg/m ² | ↑ |

| | | | |
|-----------------|--------|-------------------------|---|
| CPT - 11 | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 ... |
| | CPT-11 | B法：150mg/m ² | 2週間ごとに2~3回繰り返し投与した後、少なくとも3週間休薬する。 |

| | | | |
|-------------------|-------|-----------------------|---|
| Capox(q3w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 |
| | L-OHP | 130mg/m ² | ↑ |
| | Cape | 2000mg/m ² | ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ |

| | | | |
|------------------------|-------|-------------------------|---|
| Tmab+Capox(q3w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 |
| | Tmab | 初回8mg/kg 2回目以降6mg/kg | ↑ |
| | L-OHP | 130mg/m ² | ↑ |
| | Cape | 2000mg/m ² | ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ |

| | | | |
|-----------------|-------|----------------------|---|
| SOX(q3w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 |
| | L-OHP | 100mg/m ² | ↑ |
| | S-1 | 80mg/m ² | ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ |

| | | | |
|----------------------|-------|-------------------------|---|
| Tmab+SOX(q3w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 |
| | Tmab | 初回8mg/kg 2回目以降6mg/kg | ↑ |
| | L-OHP | 130mg/m ² | ↑ |
| | S-1 | 80mg/m ² | ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ |

○胃小細胞がん (1レジメン)

| | | | |
|------------------------|-----|------------------------|--|
| AMR(q3w or q4w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 |
| | AMR | 35-45mg/m ² | ↑ ↑ ↑ |

○食道がん (8レジメン)

| | | | |
|----------------|------|----------------------|--|
| FP(q4w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 |
| | 5-FU | 800mg/m ² | ↑ ↑ ↑ ↑ ↑ |
| | CDDP | 80mg/m ² | ↑ |

| | | | |
|--------------------|------|----------------------|--|
| FP+RT (q4w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 |
| | 5-FU | 700mg/m ² | ↑ ↑ ↑ ↑ |
| | CDDP | 70mg/m ² | ↑ |
| | RT | 2Gr/Fr/day(計60Gy) | |

| | | | |
|-----------------|-----|---------------------|---|
| DTX(q3w) | | | day 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 |
| | DTX | 70mg/m ² | ↑ |

