

○胃がん (27レジメン)

CPT-11			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	...	
	CPT-11	B法：150mg/㎡																																						
			2週間ごとに2〜3回繰り返した後、少なくとも3週間休薬する。																																					
RAM+CPT-11 (q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14																							
	RAM	8mg/kg		↑																																				
	CPT-11	150mg/㎡		↑																																				
Capox(q3w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21																
	L-OHP	130mg/㎡		↑																																				
	Cape	2000mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															
Tmab+Capox(q3w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21																
	Tmab	初回8mg/kg		↑																																				
		2回目以降6mg/kg																																						
	L-OHP	130mg/㎡		↑																																				
	Cape	2000mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															
オブザーボ+Capox(q3w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21																
	エボリマブ	360mg/body		↑																																				
	L-OHP	130mg/㎡		↑																																				
	Cape	2000mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															
SOX(q3w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21																
	L-OHP	100mg/㎡		↑																																				
	S-1	80mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															
Tmab+SOX(q3w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21																
	Tmab	初回8mg/kg		↑																																				
		2回目以降6mg/kg																																						
	L-OHP	130mg/㎡		↑																																				
	S-1	80mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															
オブザーボ+SOX(q3w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21																
	エボリマブ	360mg/body		↑																																				
	L-OHP	130mg/㎡		↑																																				
	S-1	80mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															
mFOLFOX6(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14																							
	I-LV	200mg/㎡		↑																																				
	L-OHP	85mg/㎡		↑																																				
	5-FU	400mg/㎡		↑																																				
	5-FU	2400mg/㎡		↑																																				
オブザーボ+mFOLFOX6(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14																							
	エボリマブ	240mg/body		↑																																				
	I-LV	200mg/㎡		↑																																				
	L-OHP	85mg/㎡		↑																																				
	5-FU	400mg/㎡		↑																																				
	5-FU	2400mg/㎡		↑																																				
RAM+TAS102(q4w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28									
	RAM	8mg/kg		↑																																				
	TAS102	35mg/㎡/回 x2		↑	↑	↑	↑	↑					↑	↑	↑	↑	↑																							
〇胃小細胞がん（1レジメン）																																								
AMR(q3w or q4w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28									
	AMR	35〜45mg/㎡		↑	↑	↑																																		
〇食道がん（12レジメン）																																								
FP(q4w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28									
	5-FU	800mg/㎡		↑	↑	↑	↑	↑																																
	CDDP	80mg/㎡		↑																																				

[illegible]

○群・消化管神経内分泌腫瘍（1レジメン）										
STZ(a1w)			day	1	2	3	4	5	6	7
	STZ	1000mg/m ²		↑						

[illegible][illegible][illegible][illegible][illegible]

Cmab(隔週)+FOLFIRI(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	Cmab	500mg/m ²		↑														
	I-LV	200mg/m ²		↑														
	CPT-11	150(-180)mg/m ²		↑														
	5-FU	400mg/m ²		↑														
	5-FU	2400mg/m ²		↑														

Pmab+FOLFIRI(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	Pmab	6mg/kg		↑														
	I-LV	200mg/m ²		↑														
	CPT-11	150mg/m ²		↑														
	5-FU	400mg/m ²		↑														
	5-FU	2400mg/m ²		↑														

RAM+FOLFIRI(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	RAM	8mg/kg		↑														
	I-LV	200mg/m ²		↑														
	CPT-11	150(-180)mg/m ²		↑														
	5-FU	400mg/m ²		↑														
	5-FU	2400mg/m ²		↑														

AFL+FOLFIRI(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	AFL	4mg/kg		↑														
	I-LV	200mg/m ²		↑														
	CPT-11	150(-180)mg/m ²		↑														
	5-FU	400mg/m ²		↑														
	5-FU	2400mg/m ²		↑														

Xelox(q3w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
	L-OHP	130mg/m ²		↑																					
	Cape	2000mg/m ²		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑							

BV+Xelox(q3w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
	BV	7.5mg/kg		↑																					
	L-OHP	130mg/m ²		↑																					
	Cape	2000mg/m ²		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑							

XELIRI(q3w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
	CPT-11	200mg/m ²		↑																					
	Cape	1600mg/m ²		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑							

BV+XELIRI(q3w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
	BV	7.5mg/kg		↑																					
	CPT-11	200mg/m ²		↑																					
	Cape	1600mg/m ²		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑							

FOLFOXIRI(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	CPT-11	150 (-165) mg/m ²		↑														
	I-LV	200mg/m ²		↑														
	L-OHP	85mg/m ²		↑														
	5-FU	2400(-3200)mg/m ²		↑														

BV+FOLFOXIRI(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BV	5mg/kg		↑														
	CPT-11	150 (-165) mg/m ²		↑														
	I-LV	200mg/m ²		↑														
	L-OHP	85mg/m ²		↑														
	5-FU	2400(-3200)mg/m ²		↑														

BV+Cape(q3w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
	BV	7.5mg/kg		↑																					
	Cape	2000mg/m ²		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑							

Cmab(q1w)			day	1	2	3	4	5	6	7														
	Cmab	初回400mg/㎡ 2回目以降250mg/㎡		↑																				

Cmab(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	Cmab	500mg/㎡		↑																											

Cmab(毎週)+CPT-11(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	Cmab	初回400mg/㎡ 2回目以降250mg/㎡		↑																											
	CPT-11	150mg/㎡		↑																											

Cmab(隔週)+CPT-11(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	Cmab	500mg/㎡		↑																											
	CPT-11	150mg/㎡		↑																											

Cmab+「レ」777「レ」(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	Cmab	500mg/㎡		↑																											
	「レ」777「レ」	300mg x1/body		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑														

Cmab+「レ」777「レ」/「レ」777「レ」(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	Cmab	500mg/㎡		↑																											
	「レ」777「レ」	45mg x2/body		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑														
	「レ」777「レ」	300mg x1/body		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑														

5FU/「レ」LV(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	「レ」LV	200mg/㎡		↑																											
	5-FU	400mg/㎡		↑																											
	5-FU	2400mg/㎡		↑																											

BV+5FU/「レ」LV(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	BV	5mg/kg		↑																											
	「レ」LV	200mg/㎡		↑																											
	5-FU	400mg/㎡		↑																											
	5-FU	2400mg/㎡		↑																											

Pmab(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	Pmab	6mg/kg		↑																											

Pmab+CPT-11(q2w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14														
	Pmab	6mg/kg		↑																											
	CPT-11	150(～180)mg/㎡		↑																											

BV+IRIS(q3w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21														
	BV	7.5mg/kg		↑																																		
	CPT-11	150mg/㎡		↑																																		
	S-1	80mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															

BV+IRIS(q4w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28														
	BV	5mg/kg		↑																																									
	CPT-11	100mg/㎡		↑																																									
	S-1	80mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															

IRIS(q4w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28														
	CPT-11	125mg/㎡		↑																																									
	S-1	80mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑															

SOX(q3w)			day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21														
	L-OHP	130mg/㎡		↑																																		
	S-1	80mg/㎡		↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑														

BV+SOX(q3w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
	BV	7.5mg/kg			↑																				
	L-OHP	130mg/m ²			↑																				
	S-1	80mg/m ²			↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑

BV+S1 (q6w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
	BV	5mg/kg			↑															↑														↑												
	S-1	80mg/m ²			↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	

BV+TAS102(q4w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28														
	BV	5mg/kg			↑															↑																										
	TAS102	35mg/m ² /回 x2			↑	↑	↑	↑	↑			↑	↑	↑	↑	↑																														

FOLFOX4(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	I-LV	100mg/m ²			↑	↑												
	L-OHP	85mg/m ²			↑													
	5-FU	400mg/m ²			↑	↑												
	5-FU	600mg/m ²			↑	↑												

BV+FOLFOX4(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BV	5mg/kg			↑													
	I-LV	100mg/m ²			↑	↑												
	L-OHP	85mg/m ²			↑													
	5-FU	400mg/m ²			↑	↑												
	5-FU	600mg/m ²			↑	↑												

CPT11+5FU/LV(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	I-LV	100mg/m ²			↑	↑												
	CPT-11	150mg/m ²			↑													
	5-FU	400mg/m ²			↑	↑												
	5-FU	600mg/m ²			↑	↑												

BV+CPT11+5FU/LV(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BV	5mg/kg			↑													
	I-LV	100mg/m ²			↑	↑												
	CPT-11	150mg/m ²			↑													
	5-FU	400mg/m ²			↑	↑												
	5-FU	600mg/m ²			↑	↑												

5FU/LV(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	I-LV	100mg/m ²			↑	↑												
	5-FU	400mg/m ²			↑	↑												
	5-FU	600mg/m ²			↑	↑												

BV+5FU/LV(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BV	5mg/kg			↑													
	I-LV	100mg/m ²			↑	↑												
	5-FU	400mg/m ²			↑	↑												
	5-FU	600mg/m ²			↑	↑												

CPT - 11				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	・・・						
	CPT-11	B法：150mg/m ²																																												
2週間ごとに2〜3回繰り返した後、少なくとも3週間休薬する。																																														

オブジーボ(q2w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14
	ニボルマブ	240mg/body			↑													

オブジーボ(q4w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28														
	ニボルマブ	480mg/body			↑																																									

フェスゴ(q3w)				day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21																					
	トラスチグマブ +α ¹ 89X ¹ 77	初回 IN			↑																																									
		2回目以降 MA			↑																																									